

RECEIVED
CENTRAL FAX CENTER
SEP 20 2010

LISTING OF CLAIMS

This Listing of Claims replaces all prior versions, and listings of the claims in the application:

1-26. (Cancelled)

27. (Currently Amended) An implant for attachment to a hyoid bone, comprising:
an implant body;
a first attachment zone configured for attachment to a first portion of a hyoid bone;
a second attachment zone configured for attachment to a second portion of a hyoid bone;
a connection between the first and second attachment zones which allows a pivotal
movement of the first and second attachment zones with respect to each other; and
a lock carried by the body, ~~for that, when locked, inhibiting the~~ pivotal movement
between the first and second attachment zones.

28. (Original) An implant for attachment to a hyoid bone as in claim 27, wherein the
connection comprises a flexible portion of the body.

29. (Original) An implant for attachment to a hyoid bone as in claim 27, wherein the
connection comprises a hinge.

30. (Currently Amended) An implant for attachment to a hyoid bone as in claim 27,
wherein the connection comprises a flexible element carried by the body.

31. (Original) An implant for attachment to a hyoid bone as in claim 27, wherein the lock
comprises a threaded shaft.

32. (Original) An implant for attachment to a hyoid bone as in claim 27, wherein the lock
comprises an interference fit.

33-45. (Cancelled)

46. (Currently Amended) An implant for positioning in a pharyngeal structure, comprising:

- an implant body;
- a first tissue contact zone configured for contacting a first portion of a pharyngeal structure;
- a second tissue contact zone configured for contacting a second portion of a pharyngeal structure;
- a connection between the first and second contact zones which allows a pivotal movement of the first and second contact zones with respect to each other; and
- a lock carried by the body, for fixing the ~~relationship~~ pivotal movement between the first and second contact zones.

47. (Original) An implant for positioning in a pharyngeal structure as in claim 46, wherein at least one portion of the pharyngeal structure comprises a suprahyoid muscle.

48. (Original) An implant for positioning in a pharyngeal structure as in claim 46, wherein at least one portion of the pharyngeal structure comprises a hyoid bone.

49. (Original) An implant for positioning in a pharyngeal structure as in claim 46, wherein at least one portion of the pharyngeal structure comprises an infrahyoid muscle.

50. (Previously Presented) An implant for attachment to a hyoid bone, comprising:

- an implant body comprising:
 - a first attachment zone configured for attachment to a first portion of a hyoid bone;
 - a second attachment zone configured for attachment to a second portion of a hyoid bone, the second attachment zone being coupled to the first attachment zone at a flex point to provide a pivotable relationship therebetween; and
 - a locking member attached to the first attachment zone and the second attachment zone for fixing the pivotable relationship between the first attachment zone and second attachment

zone.

51. (Previously Presented) The implant of claim 50 wherein the flex point comprises a pivot joint.

52. (Previously Presented) The implant of claim 51 wherein the pivot joint comprises a ball and socket joint.

53. (Previously Presented) The implant of claim 51 wherein the pivot joint comprises one or more wires.

54. (Previously Presented) The implant of claim 53 wherein the wires resist axial loading.

55. (Previously Presented) The implant of claim 54 wherein the wires are capable of limited flexion.

56. (Previously Presented) The implant of claim 51 wherein the pivot joint comprises one or more ribbons.

57. (Previously Presented) The implant of claim 50 wherein the flex point comprises a clevis pin.

58. (Previously Presented) The implant of claim 50 wherein the flex point comprises a hinge joint.

59. (Previously Presented) The implant of claim 50 wherein the locking member comprises an elongated member having two interfaceable ends, at least one of the ends comprising a threaded end.

60. (Previously Presented) The implant of claim 50 wherein the locking member comprises a threaded shaft.

61. (Previously Presented) The implant of claim 50 wherein the locking member comprises an interference fit.